


Unipi Webmail Login

WebMail Login

Login to the service is done through the url: <https://webmail.unipi.gr/sqm/src/login.php>



ΠΑΝΕΠΙΣΤΗΜΙΟ
ΠΕΙΡΑΙΩΣ

Υπηρεσία
Webmail

Unipi Webmail Login

Name: moes5050@webmail.unipi.g

Password:

Login

On this page you fill in your information as follows:

Name: username@webmail.unipi.gr


(Username is your academic id (e.g. moes5050@webmail.unipi.gr))

Password: ...

And click **Login**.


Attention: After logging in you will need to complete the server settings in order to receive messages.

To be able to get emails from the university's existing POP3 email Server you select the 'FETCH' option.




Server settings

To configure the required parameters, click on "Options" from the top options.



Then click on "POP3 Fetch Mail".



The 'Remote POP server settings' page appears.

A screenshot of the 'Remote POP server settings' page. The page has a title 'Remote POP server settings' and a warning: 'You should be aware that the encryption used to store your password is not perfectly secure. However, if you are using pop, there is inherently no encryption anyway. Additionally, the encryption that we do to save it on the server can be undone by a hacker reading the source to this file. If you leave password empty, it will be asked when you fetch mail.' Below the warning is a checkbox labeled 'Encrypt passwords (informative only)'. The main section is titled 'Fetching Servers' and contains a 'Modify Server' form. The form fields are: 'Server: mailhost.unipi.gr', 'Port: 110', 'Alias: ', 'Username: moes5050', 'Password:', and 'Store in Folder: INBOX'. There are three checked checkboxes: 'Leave Mail on Server', 'Check mail at login', and 'Check mail at folder refresh'. A 'Modify Server' button is at the bottom of the form.

On this page, click on the option 'Encrypt passwords (informative only)' and fill in the fields with the correct information.

Server: mailhost.unipi.gr

Port: 110

Alias: Give a typical name for the POP3 mail server (e.g. **Unipi POP3 Server**)

Username: Fill in ONLY the ACADEMIC ID you use for the POP3 account (e.g. moes5050).

Password: Fill in the password you use for POP3 account.

Store in Folder: Select the folder in which the incoming emails will be stored.

Leave Mail on Server: If you don't want to delete the emails you receive in POP3, leave this option selected.


Check mail at login: In order to receive new messages during login, check this option.

Check mail at folder refresh: In order to receive new messages during folder refresh, check this option.

Then click on the "**Add Server**" button. Once you have completed the settings you will now be able to receive messages.

Error message

In case you get a message that the password you gave is incorrect, go to **Options> POP3 Fetch Mail** again and in the table at the bottom of the screen (**Modify Server**) click **Modify**. Check again that the information you entered is correct according to the instructions above.



The screenshot shows a 'Modify Server' interface. At the top, it says 'Modify Server'. Below that, there is a label 'Server Name:' followed by a dropdown menu showing 'mailhost.unipi.gr' with a downward arrow. To the right of the dropdown are two buttons: 'Modify' and 'Delete'. The 'Modify' button is highlighted with a red rectangular box.

Try **Fetch** again by leaving **Select Server: all**. If there is a problem again, modify the server again until the problem is resolved.