

- Antonopoulou, I. and Papastavridis, S. (1987). Fast recursive algorithm to evaluate the reliability of a circular consecutive-k-out-of-n: F systems, *IEEE Trans. Reliability*, **36**, 83-84.
- Akiba, T. and Yamamoto, H. (2001). Reliability of a 2 - dimensional k- within- consecutive-(rxs)-out-of-(mxn): F system, *Naval Research logistics*, **48**, 625-637.
- Arratia, R., Goldstein, L. and Gordon, L. (1989). Two moments suffice for Poisson approximations: the Chen-Stein method, *Annals in Statistics*, **18**, 539-570.
- Ball, M.O. (1980). Complexity of network reliability computations, *Networks*, **10**, 153-165.
- Barbour, A.D. O. Chryssaphinou and M. Roos. (1996). Compound Poisson approximation in system reliability, *Naval Research Logistics*, **43**, 251-264.
- Barbour, A.D., Chryssaphinou, O. and Roos, M. (1995). Compound Poisson approximation in system reliability, *IEEE Trans. Reliability*, **44**, 398-402.
- Barlow, R.E. and Proschan, F. (1975). *Statistical theory of reliability and life testing*, Holt Reinhart and Winston, Inc., New York,
- Beasley, J.E., and Chu, P.C.(1996). A genetic algorithm for the set covering problem, *Eur.J. Oper. Res.*, **94**, 392-404.
- Birnbaum, Z.W. (1969). On the importance of different components in a multicomponent system, *Multivariate Analysis-II*, ed. P. R. Krinshnaiah, 581-592. New York Academic Press.
- Birnbaum, Z.W. and Esary, J.D. (1965). Modules of coherent binary systems, *SIAM Journal on Applied Mathematics*, **13**, 444-462.
- Birnbaum, Z.W., Esary, J.D. and Saunders, S.C. (1961). Multi-component systems and structures and their reliability, *Technometrics*, **3**, 55-77.
- Bodin, L.D.(1970). Approximations to system reliability using a modular decomposition, *Technometrics*, **12**, 335-344.
- Bollinger, R.C. (1985). Strict consecutive-k-out-of-n: F systems, *IEEE Trans. Reliability*, **34**, 50-52.
- Bollinger, R.C. (1982). Direct computations for consecutive-k-out-of-n: F systems, *IEEE Trans. Reliability*, **31**, 444-446.
- Bollinger, R.C. and Salvia, A.A. (1982). Consecutive-k-out-of-n: F networks, *IEEE Trans. Reliability*, **31**, 53-56.
- Boros, E. and Prekopa, A. (1989). Closed form two-sided bounds for probabilities that at least r and exactly r out of n events occur, *Mathematics of Operations Research*, **14**, 317-342.
- Boutsikas, M.V. and Koutras, M.V. (2000a). A bound for the distribution of the sum of discrete associated or NA random variables, *Annals of Applied Probability*, **10**, 1137-1150.

- Boutsikas, M.V. and Koutras, M.V. (2000b). Generalized reliability bounds for coherent structures, *Journal of Applied Probability*, **37**, 778-794.
- Chang, G.J., Cui, L. and Hwang, F.K.(1999). Reliabilities for (n, f, k) systems, *Statistics & Probability Letters*, **43**, 237-242.
- Chang, H.W. and Hwang, F.K.(1999). Existence of invariant series consecutive-k-out-of-n : G systems, *IEEE Trans. Reliability*, **48**, 306-308.
- Chao, M.T. and Fu, J.C.(1991). The reliability of large series systems under Markov structure, *Adv. Applied Probability*, **23**, 894-908.
- Chao M.T. and Fu, J.C.(1989). A limit theorem of certain repairable systems, *Ann.Inst. Statist. Math*, **41**, 809-818.
- Chao, M.T., Fu, J.C. and Koutras, M.V. (1995). Survey of reliability studies of consecutive-k-out-of-n: F & related systems, *IEEE Trans. Reliability*, **44**, 120-127.
- Chao, M.T. and Lin, G.D. (1984). Economical design of large consecutive-k-out-of-n:F systems, *IEEE Trans. Reliability*, **33**, 411-413.
- Chen, L.H.Y. (1975). Poisson approximation for dependent trials, *Annals in Probability*, **3**, 534-545.
- Chiang, D.T. and Niu, S.C. (1981). Reliability of consecutive k-out-of-n, *IEEE Trans. Reliability*, **30**, 87-89.
- Derman, C., Lieberman, G.J. and Ross, S.M. (1982). On the consecutive k-out-of-n: F System, *IEEE Trans. Reliability*, **31**, 57-63.
- Du, D.Z. and Hwang, F.K. (1988). A direct algorithm for computing reliability of a consecutive-k cycle, *IEEE Trans. Reliability*, **37**, 70-72.
- Esary, J.D. and Proschan, F. (1970). A reliability bound for systems of maintained, interdependent components, *Journal of the American Statistical Association*, **65**, 329-338.
- Esary,J.D. and Proschan,F. (1963). Coherent structures of non-identical components, *Technometrics*, **5**, 191-209.
- Esary, J.D., Proschan, F. and Walkup, D.W.(1967). Association of random variable, with applications, *Ann. Math. Stat.*, **38**, 1466-1474.
- Fu, J.C. (1986). Bounds for reliability of large consecutive-K-out-of-N: F systems with unequal component reliability, *IEEE Trans. Reliability*, **35**, 316-319.
- Fu, J.C. (1986). Reliability of consecutive-k-out-of-n: F systems with $(k-1)$ step Markov dependence, *IEEE Trans. Reliability*, **35**, 602-606.
- Fu, J.C. and Hu, B. (1987). Io reliability of large consecutive-k-out-of-n: F system with $(k-1)$ Markov dependence, *IEEE Trans. Reliability*, **36**, 75-77.
- Fu, J.C. and Koutras, M.V. (1995). Reliability bounds for coherent structures with independent components, *Statistics & Probability Letters*, **22**, 137-148.
- Fu, J.C. and Koutras, M.V. (1994). Poisson approximation for 2-dimensional patterns, *Ann Inst Statis Math*, **46**, 179-192.
- Habib, A. and Szantai, T. (2000). New bounds on the reliability of the consecutive k-out-of-r-from-n: F system, *Reliability Engineering and System Safety*, **68**, 97-104.
- Heidtmann, K.D. (1982). Improved method of inclusion-exclusion applied to k-out-of-n systems, *IEEE Trans. Reliability*, **31**, 36-40.
- Hsieh, Y-C. (2003). New reliability bounds for coherent systems, *Journal of the Operational Research Society*, **54**, 995-1001.
- Hsieh, Y.C. and Chen, T.C. (2004). Reliability lower bounds for two- dimensional consecutive-k-out-of-n: F systems, *Computers and Operations Research*, **31**, 1259-1272.

- Hwang, F.K. (1986). Simplified reliabilities for consecutive-k-out-of-n: F systems, *SIAM. Alg. Disc Meth.*, **7**, 258-264
- Hwang, F.K. (1982). Fast solutions for consecutive-k-out-of-n: F systems, *IEEE Trans. Reliability*, **31**, 447-448.
- Jensen, P.A. and Bellmore, M. (1969). An algorithm to determine the reliability of a complex system, *IEEE Trans. Reliability*, **18**, 169-174.
- Kontoleon, J.M. (1980). Reliability determination of a r-successive-out-of-n system, *IEEE Trans. Reliability*, **29**, 437.
- Kounias, S. and Sotirakoglou, K. (1986). Bonferroni bounds revisited, *J. Applied Probability*, **26**, 1-9.
- Kounias, S. and Sfakianakis, M. (1991). The reliability of a linear system and its connections with the generalized birthday problem, *Statistica Applicata*, **3**, 531-543.
- Koutras, M.V., Papadopoulos, G.K. and Papastavridis, S.G. (1997). A reliability bound for 2- dimensional consecutive-k-out-of-n: F systems, *Nonlinear Anal. Theory Methods*, **30**, 3345-3348.
- Koutras, M.V., Papadopoulos, G.K. and Papastavridis, S. (1993). Reliability of 2- dimensional consecutive-k-out-of-n: F system, *IEEE Trans. Reliability*, **42**, 658-661.
- Koutras, M.V. and Papastavridis, S. (1993). Applications of the Stein-Chen method for bounds and limit theorems in the reliability of coherent structures, *Naval Research Logistics*, **40**, 617-631.
- Koutras, M.V., Papastavridis, S.G. and Petakos, K.I. (1996). Bounds for coherent reliability structures, *Statistics & Probability Letters*, **26**, 431-448.
- Koutras, M.V., Tsitmidelis, S. and Zissimopoulos, V. (2003). Evaluation of reliability bounds by set covering models, *Statistics & Probability Letters*, **61**, 163-175.
- Ksir, B. (1992). Comment on: 2-dimensional consecutive-k-out-of-n: F models, *IEEE Trans. Reliability*, **41**, 575.
- Lai, CD. (1993). Bounds on reliability of a k-out-of-n system, *Microelectronics Reliability*, **33**, 697-703.
- Lambiris, M. and Papastavridis, S. (1985). Exact reliability formulas for linear and circular consecutive-k-out-of-n: F systems, *IEEE Trans. Reliability*, **34**, 124-126.
- Lipow, M. (1994). A simple lower bound for reliability of k-out-of-n: G systems, *IEEE Trans. Reliability*, **43**, 656-658.
- Locks, M.O. (1980). Recursive disjoint products, inclusion-exclusion, and min-cut approximations, *IEEE Trans. Reliability*, **29**, 368-371.
- Makri, F.S. and Psillakis, Z.M. (1997). Bounds for reliability of k- within- connected-(r,s)-out-of-(m,n): failure systems, *Microelectronics Reliab.*, **37**, 1217-1224.
- Makri, F.S. and Psillakis, Z.M. (1996). Bounds for the reliability of k- within two- dimensional consecutive-r-out-of-n: failure systems, *Microelectronics Reliab.*, **36**, 341.
- Malinowski, J. and Preuss, W. (1996). Lower & upper bounds for the reliability of connected-(r,s)-out-of-(m,n): F lattice systems, *IEEE Trans. Reliability*, **45**, 154-160.
- Maymin, Z. (1987). On a conjecture of Barlow and Proschan concerning reliability bounds, *Journal of Statistical Planning and Inference*, **16**, 337-344.
- Messiger, M. and Shooman, M. (1967). Reliability approximations for complex structures, *IEEE Proc. Ann. Synmp. Reliability*, 292-301.
- Moore, E.F., and Shannon, C.E. (1956). Reliable circuits using less reliable relays, *Journal of Franklin Institute*, **262**, 191-208 and 281-297.

- Papastavridis, S.(1988). A Weibull limit for the reliability of consecutive-k-within-m-out-of-n system, *Adv. Applied Probability*, **20**, 690-692.
- Papastavridis, S. and Koutras, M.V. (1993a). Bounds for reliability of consecutive-k-within-m-out-of-n systems, *IEEE Trans. Reliability*, **42**, 156-160.
- Papastavridis, S. and Koutras, M.V.(1993b). Consecutive-k-out-of-n: F systems, *New Trends in System Reliability Evaluation*, KB Misra (Editor), 228-248.
- Papastavridis, S. and Sfakianakis, M.E.(1991). Optimal arrangement and importance of the components in a consecutive-k-out-of-n: F system, *IEEE Trans. Reliability*, **40**, 277-279.
- Rosenthal, A. (1977). Computing the reliability of complex networks, *SIAM J.Applied Mathematics*, **32**, 384-393.
- Salvia, A.A. and Lasher, W.C. (1990). 2-dimensional consecutive-k-out-of-n: F models, *IEEE Trans. Reliability*, **39**, 382-385.
- Satyanarayana, A. and Prabhakar, A. (1978). New topological formula and rapid algorithm for reliability analysis of complex networks, *IEEE Trans. Reliability*, **27**, 82-100.
- Sfakianakis, M., Kounias, S. and Hillaris, A. (1992). Reliability of a consecutive-k-out-of-n: F system, *IEEE Trans. Reliability*, **41**, 442-447.
- Shanthikumar, J.G. (1988). Bounding network reliability using consecutive minimal cut sets, *IEEE Trans. Reliability*, **37**, 45-49.
- Shanthikumar, J.G. (1982). Recursive algorithm to evaluate the reliability of a consecutive-k-out-of-n: F systems, *IEEE Trans. Reliability*, **31**, 442-443.
- Shogan, A.W.(1977). A recursive algorithm for bounding network reliability, *IEEE Trans. Reliability*, **26**, 322-327.
- Shogan, A.W. (1976). Sequential bounding of the reliability of a stochastic network, *Operations Research*, **34**, 1027-1044.
- Tong, Y.L. (1985). A rearrangement inequality for the longest run, with an application to network reliability, *J. Applied Probability*, **22**, 286-293.
- Yamamoto, H. and Miyakawa, M. (1995). Reliability of a linear connected-(r,s)-out-of-(m,n): F lattice system, *IEEE Trans. Reliability*, **44**, 333-336.